



2024 PRODUCT CATALOG

# BLACK EAGLE DARTON CONQUEST

A CORD OF THREE STRANDS  
IS NOT QUICKLY BROKEN.

—ECCLESIASTES 4:12



[CONQUESTARCHERY.COM](http://CONQUESTARCHERY.COM)

[DARTONARCHERY.COM](http://DARTONARCHERY.COM)

[BLACKEAGLEARROWS.COM](http://BLACKEAGLEARROWS.COM)



# TALON

## 19/64" - HUNTING ARROWS



## FLETCHED & SHAFTS

The Talon Arrow is a top-tier, **100% carbon arrow**, specifically crafted for **hunting and 3-D archery**. Developed with input from seasoned pro archers, its design enhances speed, kinetic energy, and deep penetration. Each Talon Arrow is meticulously weight-balanced and spine-aligned for unmatched precision in grouping. Its outstanding resilience and pinpoint accuracy make it an excellent choice in a wide range of environments.

**.001 & .003" OR STRAIGHTER**

**± 1 GRAIN WEIGHT TOLERANCE**

**32" SHAFT LENGTH**

\*Picture is a pre-production mockup. Production graphics may vary\*



## FLETCHED & SHAFTS

### SPECS / INCLUDED COMPONENTS

SPINE	INNER DIAMETER	OUTER DIAMETER	GPI
300	.2445"	.298"	9.2
350	.2445"	.293"	8.0
400	.2445"	.291"	7.5
500	.2445"	.286"	6.7
600	.2445"	.281"	5.7

- Black Eagle Arrows Standard Nock - 10 Grains
- Talon Inserts - 14 Grains
- 2" Vanes - 21.5 Grains (Fletched Only)



# CARNIVORE

## 19/64" - HUNTING ARROWS



## FLETCHED & SHAFTS

The Carnivore is our premium **100% carbon hunting / 3-D shaft**. It's flight characteristics were designed by experienced professional shooters to optimize speed, kinetic energy, and penetration for a wide range of environments. The Carnivores are each weight-sorted and spine-matched to offer the most consistent grouping. This shaft's exceptional durability and accuracy is sure to bring home the trophy.

**.001 & .003" OR STRAIGHTER**

**± 1 GRAIN WEIGHT TOLERANCE**

**32" SHAFT LENGTH**



## FLETCHED & SHAFTS

### SPECS / INCLUDED COMPONENTS

SPINE	INNER DIAMETER	OUTER DIAMETER	GPI
250	.2445"	.303"	9.7
300	.2445"	.296"	8.5
350	.2445"	.291"	7.5
400	.2445"	.287"	6.8

- Black Eagle Arrows Standard Nock - 10 Grains
- Carnivore Inserts - 14 Grains
- 2" Vanes - 21.5 Grains (Fletched Only)

### ULTRA-LIGHT ARROWS SPECS\*

Perfect for those who shoot a lighter 30-50 lb draw weight.

SPINE	INNER DIAMETER	OUTER DIAMETER	GPI
30-50 lb	.2445"	.281"	5.9

\*DISCLAIMER / Do not exceed 50 lb draw weight limit. It may damage the shaft and cause serious injury to you or others around you.





# OUTLAW

## 19/64" - HUNTING ARROWS



## CRESTED FLETCHED & SHAFTS

The **Outlaw 100% carbon arrow** was created for the hunter looking for the ultimate in strength and durability. This shaft provides the highest level of performance with a focus on affordability. This versatile shaft is the perfect choice for any serious hunter.

**.005" OR STRAIGHTER**

**± 1 GRAIN WEIGHT TOLERANCE**

**32" SHAFT LENGTH**



## SPECS / INCLUDED COMPONENTS

SPINE	INNER DIAMETER	OUTER DIAMETER	GPI
300	.2445"	.300"	9.1
350	.2445"	.297"	8.6
400	.2445"	.294"	8.1
500	.2445"	.285"	7.4
600	.2445"	.278"	6.8
700	.2445"	.275"	6.1

*Note: Outlaw Pink available in 400, 500, 600, 700 spines only.*

*Note: Outlaw Yellow and White 300, 350 and 400 spines only.*

- Fletched with crested or bare carbon finish. Shafts are NOT Crested.
- Black Eagle Arrows Standard Nocks - 10 Grains
- Outlaw Inserts - 14 Grains
- 2" Vanes - 21.5 Grains (Fletched Only)





# VINTAGE

## 19/64" - TRADITIONAL HUNTING ARROWS

## CRESTED FLETCHED & SHAFTS

Our **Vintage® 100% carbon arrow** is the first of its kind on the market. Many serious traditional archers, and compound archers, are looking for a high quality wood grain carbon arrow – so we delivered. Each Vintage arrow's cresting is hand painted and quality inspected. The Duracoat wood grain overlay-finish on the shaft allows for refletching and cresting. Vintage arrows are straightness sorted, spine matched, and weight matched to ensure the quality and toughness that you have come to expect.

**.005" OR STRAIGHTER**    **± 1 GRAIN WEIGHT TOLERANCE**    **34" SHAFT LENGTH**



### SPECS / INCLUDED COMPONENTS

SPINE	INNER DIAMETER	OUTER DIAMETER	GPI
350	.244"	.303"	9.8
400	.244"	.301"	9.2
500	.244"	.297"	8.5
600	.244"	.293"	7.9

*Note: Cresting adds .01 GPI.*

- Black Eagle Arrows Standard Nock - 10 Grains
- Aluminum Inserts - 14 Grains
- 4" Feathers Barred and Solid - 3 Grains (Fletched Only)



# INSTINCT

## 15/64" - TRADITIONAL HUNTING ARROWS



## CRESTED, FLETCHED & SHAFTS

Our Instinct® arrow is the ONLY wood-grain-micro-diameter-carbon-traditional arrow on the market today. Designed to be more shootable, the Micro-Diameter size helps to offset the off-center design of most recurve and longbow risers made today. We also coupled the Instinct® with our SUPER TOUGH Stainless Steel outserts, that weigh 100 grains, so you can have the weight up front where you want it.

Each Instinct® arrow's cresting is hand painted and quality inspected. This gives you custom arrow quality, and an attractive traditional look, all at a VERY affordable price. The Duracoat wood grain overlay-finish on the shaft allows for refletching and cresting. Instinct® arrows are straightness sorted, spine matched, and weight matched—to ensure the quality and toughness that you have come to expect from Black Eagle Arrows. We feel that traditional archers should no longer have to use traditional arrows. Test your Instincts® and experience the Black Eagle difference today!

**.005" OR STRAIGHTER**

**± 1 GRAIN WEIGHT TOLERANCE**

**34" SHAFT LENGTH**



### SPECS / INCLUDED COMPONENTS

SPINE	INNER DIAMETER	OUTER DIAMETER	GPI
350	.165"	.248"	10.6
400	.165"	.240"	9.4
500	.165"	.236"	8.8
600	.165"	.231"	7.9

Note: Cresting adds .01 GPI.

- Black Eagle Arrows M Nock - 7 Grains
- Stainless Steel Outserts - 100 Grains
- 3" Shield Cut Feathers | Barred and Solid - 3 Grains







# SPARTAN

## 18/64" - HUNTING ARROWS



## CRESTED, FLETCHED & SHAFTS

The Spartan was developed from taking the best characteristics from larger 19/64" and smaller 17/64" arrows. We wanted the Spartan's outside diameter to be small for maximum accuracy and penetration. However, like larger arrows, we wanted the **100% carbon Spartan** to utilize an insert for easier arrow removal and to reinforce the front of the arrow for bone-shattering impacts.

**.001 & .003" OR STRAIGHTER**

**± 1 GRAIN WEIGHT TOLERANCE**

**32" SHAFT LENGTH**



### SPECS / INCLUDED COMPONENTS

SPINE	INNER DIAMETER	OUTER DIAMETER	GPI
200	.224"	.297"	11.6
250	.224"	.289"	10.0
300	.224"	.282"	9.0
350	.224"	.276"	8.0
400	.224"	.272"	7.2

*Note: Cresting adds .01 GPI. Only fletched is crested NOT shafts.*

- Black Eagle Arrows R Nock - 9 Grains
- Spartan Stainless Steel Nock Bushings - 10 Grains
- Spartan Stainless Steel Inserts - 26 Grains
- 2" Vanes - 21.5 Grains (Fletched Only)



# RAMPAGE

## 17/64" - HUNTING ARROWS



## FLETCHED & SHAFTS

This small-diameter **100% carbon shaft** is designed to have superior long distance performance with spine-to-weight ratios creating a balance for optimal speed, kinetic energy, and penetration. The Rampage is an exceptional hunting arrow with no sacrifices to durability. It's the perfect shaft for any big game.

**.001 & .003" OR STRAIGHTER**

**± 1 GRAIN WEIGHT TOLERANCE**

**32" SHAFT LENGTH**



### SPECS / INCLUDED COMPONENTS

SPINE	INNER DIAMETER	OUTER DIAMETER	GPI
150	.204"	.307"	16
200	.204"	.285"	12.8
250	.204"	.276"	10.7
300	.204"	.264"	8.7
350	.204"	.261"	8.2
400	.204"	.253"	7

- Black Eagle Arrows R Nocks - 9 Grains
- Stainless Steel Bone Crusher Half-Out - 52 Grains
- 2" Vanes - 21.5 Grains (Fletched Only)



# RENEGADE

## 17/64" - HUNTING ARROWS



## CRESTED, FLETCHED & SHAFTS

The Renegade was designed specially for hunters who want a supremely accurate small diameter carbon arrow that is tough as nails - at a great price. This **100% carbon shaft** was designed to eliminate cross-wind drift, so it's perfect for those long-range shots. The flight characteristics of this extremely durable shaft ensure maximum power down range.

**.005" OR STRAIGHTER**    **± 2 GRAIN** WEIGHT TOLERANCE    **32.5"** SHAFT LENGTH



## SPECS / INCLUDED COMPONENTS

SPINE	INNER DIAMETER	OUTER DIAMETER	GPI
250	.204"	.280"	10.8
300	.204"	.275"	10
350	.204"	.267"	8.7
400	.204"	.263"	8

*Note: Cresting adds .01 GPI. Only fletched is crested NOT shafts.*

- Black Eagle Arrows R Nocks - 9 Grains
- Stainless Steel Bone Crusher Half-Out - 52 Grains
- 2" Vanes - 21.5 Grains (Fletched Only)



# INTREPID

## 15/64" - FIELD ARROWS

## FLETCHED & SHAFTS

The Intrepid **100% carbon arrow** was designed for recurve target archers. We built an affordable arrow with Black Eagle Quality designed for the novice and seasoned shooters alike.

**+/- .006" OR STRAIGHTER**    **± 1 GRAIN** WEIGHT TOLERANCE    **32"** SHAFT LENGTH



## SPECS / INCLUDED COMPONENTS

SPINE	INNER DIAMETER	OUTER DIAMETER	GPI
500	.165"	.233"	8.3
600	.165"	.226"	7.1
700	.165"	.222"	6.4
800	.165"	.218"	6.0
900	.165"	.213"	5.3
1000	.165"	.212"	5.1
1100	.165"	.209"	4.8
1200	.165"	.211"	5.1
1300	.165"	.209"	4.9
1400	.165"	.208"	4.8

- **SHAFTS SOLD IN 5 DOZEN QUANTITIES**
- **FLETCHED SOLD IN 36 PACK BOX**
- Black Eagle Arrows Micro-Nock ST Red - 6 Grains
- 1.6" Vanes (Fletched)
- 90-70 Grain Target Points (Fletched)



# Deep Impact

## 15/64" - HUNTING ARROWS



## CRESTED FLETCHED & SHAFTS

The name says it all. This incredibly light and strong micro-diameter shaft was developed using cutting-edge carbon manufacturing techniques. This **100% carbon shaft** uses fine-tuned spine-to-weight ratios to maximize speed, kinetic energy, penetration, and also to provide the flattest trajectory possible.

**.001 & .003" OR STRAIGHTER**

**± 1 GRAIN WEIGHT TOLERANCE**

**32" SHAFT LENGTH**



### SPECS / INCLUDED COMPONENTS

SPINE	INNER DIAMETER	OUTER DIAMETER	GPI
300	.165"	.248"	11.0
350	.165"	.240"	9.6
400	.165"	.233"	8.6
500	.165"	.228"	7.6
600	.165"	.223"	7.0
700	.165"	.218"	6.3
800	.165"	.213"	5.8
900	.165"	.209"	5.2

*Note: Cresting adds .01 GPI. Only fletched is crested NOT shafts.*

- Black Eagle Arrows Micro Nocks - 7 Grains
- Fletched Crested Arrows 300-500 Spines Only
- Deep Impact Outsert Included
- 2" Vanes - 21.5 Grains (Fletched Only)



# X-IMPACT

## 15/64" - FIELD / HUNTING ARROWS

## FLETCHED & SHAFTS

We constructed the X-Impact from the highest quality materials to ensure it's the best micro diameter shaft on the market. This shaft is made of **100% High-Mod Carbon**, which means it's our lightest shaft available to date; this allows for more point weight up front, equating to better flight characteristics and long-range pin point accuracy. It's perfect for any hunter or target shooter who is looking for the highest quality long-range carbon arrow.

**.001" OR STRAIGHTER**

**± 1 GRAIN**

**WEIGHT TOLERANCE**

**32" SHAFT LENGTH**



## FLETCHED & SHAFTS

SPINES: 200-500 (SHAFTS AND FLETCHED)

## SPECS / INCLUDED COMPONENTS

SPINE	INNER DIAMETER	OUTER DIAMETER	GPI
200	.165"	.256"	11
250	.165"	.240"	9.5
300	.165"	.231"	8.1
350	.165"	.228"	7.4
400	.165"	.221"	6.7
500	.165"	.214"	5.8
600	.165"	.214"	5.8
700	.165"	.215"	5.9

- Black Eagle Arrows Micro Nocks - 7 Grains
- X-Impact Black Aluminium Outsert - 40-44 Gr. | 250-500 Spine
- 2" Vanes - 21.5 Grains (Fletched Only)



# REVELATION 3:20

## 14/64" - TARGET ARROWS

The Revelation **100% carbon arrow** was designed for long-range target accuracy. And after several years of product development, and our professionals field testing this arrow, we believe this is the best micro-diameter-target-shaft available. The Revelation's heavy grains per inch and its surface area to mass ratio helps it slice through wind with ease—which helps minimize errand impacts caused by unpredictable windy conditions. Combine the above with the Revelation's unmatched tolerances—and you have a winning combination that's capable of every arrow finding its place in the center of the bullseye.

**.001"**      **± 1 GRAIN**      **32"**  
OR STRAIGHTER      WEIGHT TOLERANCE      SHAFT LENGTH



### SHAFTS ONLY

### SPECS / INCLUDED COMPONENTS

SPINE	INNER DIAMETER	OUTER DIAMETER	GPI
300	0.125	0.218	10.2
350	0.125	0.212	9.00
400	0.125	0.206	8.10
450	0.125	0.201	7.50
500	0.125	0.198	6.99
550	0.125	0.193	6.50
600	0.125	0.191	6.25
650	0.125	0.189	6.00
700	0.125	0.186	5.79
750	0.125	0.185	5.59
800	0.125	0.183	5.35

- Includes (Patent Pending) Overfit Pin Bushing - 7 Grains
- Tungsten points



**FACTORY PROSTAFF  
DOMINATION ELLA GIBSON,  
TANJA GELLENTHIEN**





## DAN MCCARTHY PREMIUM SIGNATURE CARBON ARROWS

.001" OR STRAIGHTER ±1 GRAIN WEIGHT TOLERANCE 32" SHAFT LENGTH

### PS26

DAN MCCARTHY PREMIUM SERIES

26/64" - HYBRID INDOOR / 3D COMPETITION

The Dan McCarthy PS26 Premium Signature series shaft was developed personally by Dan, a multi-time IBO & ASA champion. This ultra tight tolerance shaft was designed for highest levels of competition.

**Constructed of 100% carbon** this shaft is tough enough to withstand the harsh punishment in real world tournament conditions. The shafts large 26/64" diameter is ideal for indoor or 3D competition shooting.

SPINE	ID	OD	GPI
250	.370"	.410"	9.6
300	.370"	.408"	8.8
350	.370"	.406"	8.5
400	.370"	.404"	8.2

### PS27

DAN MCCARTHY SUPER X SIGNATURE SERIES

27/64" - INDOOR COMPETITION SHAFT

The Dan McCarthy PS27 Super X Premium Signature series **100% carbon shaft** was developed personally by Dan, the 2017 IBO Champion. This shaft was specifically designed for the highest level of indoor competition. The combination of ultra tight .001 or better straightness and ±1 gr weight tolerances make this the ideal max diameter competition arrow.

SPINE	ID	OD	GPI
300	.380"	.420"	9.6
350	.380"	.417"	9.4





# PS23

DAN MCCARTHY PREMIUM SERIES

## 23/64" - 3D COMPETITION SHAFT

**.001" OR STRAIGHTER**    **± 1 GRAIN**    **WEIGHT TOLERANCE**    **32" SHAFT LENGTH**

The Dan McCarthy PS23 Premium Signature series **100% carbon shaft** was developed personally by Dan, a multi-time IBO & ASA champion. No expense was spared when developing the tightest tolerance shafts available specifically for the highest levels of competition. Perfect shaft for World Archery, FITA, or NFAA competition.



SPINE	ID	OD	GPI
250	.315"	.360"	9.0
300	.315"	.356"	8.2
350	.315"	.354"	7.9
400	.315"	.353"	7.3
500	.315"	.349"	7.1



## 18, 20, 22" - CROSSBOW ARROW

**BLACK EAGLE CROSSBOWS ARROWS IN THE LAST 5 YEARS HAVE ACCOUNTED FOR MORE WORLD CHAMPIONSHIPS IN 3D ARCHERY THAN ALL OTHER ARROW COMPANIES COMBINED!! FACT!!**

This "killer" **100% carbon crossbow arrow** is designed for superior performance, bringing you speed, kinetic energy, and accuracy. The overall weight of the arrow includes a brass insert for optimal F.O.C. which maximizes accuracy, increases kinetic energy, and minimizes the loss of downrange speed. This is the best crossbow arrow on the planet.

**.001 / .003" OR STRAIGHTER ± 1 GRAIN WEIGHT TOLERANCE 18/20/22" SHAFT LENGTH**



### FLETCHED & SHAFTS

### SPECS / INCLUDED COMPONENTS

SPINE	INNER DIAMETER	OUTER DIAMETER	GPI
16-22"	.300"	.346"	9.0

### FLETCHED ARROWS

- 18" comes with Half Moon Nocks and Flat Nocks (Installed but Removable)
- 20" (only .001") comes with Half Moon Nocks and Flat Nocks (Installed but Removable)
- 22" (only .001") comes with Half Moon Nocks (Installed but Removable)
- Executioner Brass Inserts **\*\*Installed\*\***- (20" - 110 Grain) (18 & 22" - 92 Grain)
- 3" Vanes on 20" and 22" | 2" Vanes on 18", 20", 22"

### SHAFTS

All components are sold separately. This makes it easy to customize with brass or aluminium inserts and your choice of nocks.

These bolts work with most major manufacturer crossbows. Check your crossbow manual for arrow weight minimums to make sure you do not void your warranty.



# ZOMBIESLAYER

## 18, 20, 22" - CROSSBOW ARROW

**BLACK EAGLE CROSSBOWS ARROWS IN THE LAST 5 YEARS HAVE ACCOUNTED FOR MORE WORLD CHAMPIONSHIPS IN 3D ARCHERY THAN ALL OTHER ARROW COMPANIES COMBINED!! FACT!!**

Being 25% Stiffer than the Executioner, the **100% Carbon Zombie Slayer Crossbow Arrows** are Built for accuracy and penetration. These carbon Zombie Slayer Crossbow Arrows are manufactured with the tightest  $\pm 0.001$ " straightness tolerances to ensure you never miss that critical head shot. What makes our Zombie Slayers a critical part of your arsenal is the unmatched durability. We test our shafts by shooting through 3/4" pressure-treated plywood and several other materials.

**.001 / .003" OR STRAIGHTER     $\pm 1$  GRAIN WEIGHT TOLERANCE    18/20/22" SHAFT LENGTH**



## FLETCHED & SHAFTS

## SPECS / INCLUDED COMPONENTS

SPINE	INNER DIAMETER	OUTER DIAMETER	GPI
18"	.300"	.346"	9.1
20"	.300"	.346"	9.1
22"	.300"	.346"	9.1

- Half Moon Nocks & Flat Nocks (Installed and Removable)
- Zombie Slayer Brass Inserts - (18" Arrow - 80 Grain) (20" Arrow - 110 Grain) (22" Arrow - 92 Grain)
- 2" Vanes - 18 Grains



## BEA HUNTING SIGHT

Our Black Eagle Arrows branded hunting sight is just what you have been looking for. It comes WITH a 3 position light so you can adjust the brightness. We have a 5 Pin with .010 pins or .019 Pins. Standard is 2nd and 3rd Axis adjustments. The sight also has Micro-adjust for Windage and Elevation. Great features at a great price.

### FEATURES

- Super Lightweight at 7.2 oz with Light
- 2nd and 3rd Axis
- Laser Engraved Elevation and Windage marks for precision tuning
- 3 Position Rheostat Light





### BEA 2.5X10X50 CROSSBOW SCOPE



Magnification	2.5 10x
Objective Lens Diameter	50 mm
Eye Relief:	2.8"
Tube Size	30 mm
Adjustment Graduation:	1/4 MDA
Travel per Rotation	15 MDA
Length	11.3"
Weight	19 ozs
Weight	23.7 ozs(include rings and lens cover)

The BEA 2.5X10X50 Crossbow Scope is the ultimate accessory for all crossbow enthusiasts. Created by the renowned brand Black Eagle, this scope is designed to provide unrivaled accuracy and precision. With a magnification range of 2.5X to 10X and a 50mm objective lens, this scope offers a wide field of view and excellent light transmission. Its durable construction ensures long-lasting performance even in the harshest conditions. The BEA 2.5X10X50 Crossbow Scope guarantees optimal visibility and accuracy, making it a must-have for any serious crossbow shooter. Improve your shooting accuracy and conquer the field with this remarkable scope from Black Eagle.

### BEA 1.5 X 5 X 32 ILLUMINATED CROSSBOW SCOPE



BEA 1.5 X 5 X 32 Illuminated Crossbow Scope by Black Eagle, a must-have accessory for every bow enthusiast. This high-quality scope enhances your crossbow shooting experience with its superior accuracy and clarity. With a magnification range of 1.5X to 5X and a 32mm objective lens, it provides a wide field of view and enhanced visibility, even in low-light conditions. The illuminated reticle allows for quick and precise target acquisition, ensuring every shot is on point. Designed specifically for crossbows, this scope offers easy adjustment and durable construction. Upgrade your bow with the BEA 1.5 X 5 X 32 Illuminated Crossbow Scope for unparalleled performance.



Our components are held to the same superior standard as our arrows, and are crafted from the highest quality material on the market: 70-75 aluminum, 17/4 stainless, 416PH stainless. Each component is designed to perfectly match our shafts, ensuring flawless performance. For more components, check out our store or search for dealers on [BLACKEAGLEARROWS.com](http://BLACKEAGLEARROWS.com).

### ARROW NOCKS



**STANDARD-NOCK**  
8 Grains



**R-NOCK**  
9 Grains



**HALF-MOON NOCK**  
8 Grains



**CAPTURE NOCK**  
14 Grains



**FLAT ALUMINUM NOCK**  
19 Grains



**HALF-MOON ALUMINIUM NOCK**  
18 Grains



**'M' MICRO-NOCK**  
7 Grains



**PIN NOCK**  
4 Grains



**FLAT NOCK**  
8 Grains

### NOCK BUSHINGS

**27/64"**



**CONICAL STANDARD NOCK BUSHING**  
22 Grains



**G/M NOCK BUSHING**  
23 Grains

**26/64"**



**CONICAL STANDARD NOCK BUSHING**  
20 Grains



**G/M NOCK BUSHING**  
21 Grains



**NOCK COLLARS**  
X Impact, Deep Impact, Rampage

**23/64"**



**G/F NOCK BUSHING**  
14 Grains

**19/64"**



**G/M NOCK BUSHING**  
14 Grains

**18/64"**



**STAINLESS STEEL R NOCK BUSHING**  
10 Grains



**STANDARD NOCK BUSHING**  
16 Grains

# INSERTS / OUTSERTS / HALF-OUTS

## 15/64" DEEP IMPACT



**STAINLESS STEEL OUTSERT**  
300 Spine 68 Gr. | 350 Spine 67 Gr.



**BLACK ALUMINIUM OUTSERT**  
40-44 Gr. | 300-600 Spine



**BLACK ALUMINIUM OUTSERT**  
40-44 Gr. | 300-500 Spine

## 17/64"



**150 SPINE PLATINUM BONE CRUSHING HALF-OUT**  
76 Grains / 11/32" End



**PLATINUM BONE CRUSHING HALF-OUT**  
52 Grains



**STAINLESS STEEL HALF-OUT**  
52 Grains

## 19/64"



**BRASS INSERT**  
42 Grains



**ALUMINIUM INSERT**  
14 Grains



**BRASS INSERT**  
100 Grains

## 23/64"



**ALUMINIUM INSERT**  
31 Grains

## 26/64"



**ALUMINIUM INSERT**  
48 Grains

## 18/64"



**STAINLESS STEEL INSERT**  
28 Grains

## CROSSBOW



**ALUMINIUM INSERT**  
30 Grains



**BRASS INSERT**  
80/92/110 Grains

## INSERT WEIGHTS



**SCREW-IN INSERT WEIGHTS**  
30/50/75 Grains



**SCREW-IN INSERT WEIGHTS**  
10/20 Grains, Stackable



**WEIGHT ADJUSTMENT TOOL**  
+.204 ID SHAFTS

## FRONT OF CENTER OUTSERT SYSTEM F.O.C.O.S (PATENTED)

Products are protected by United States Patent Nos. patent #US 10,203,185 B1

Our New Front Of Center Outsert System is designed for those that want more weight upfront and ease of use of Outserts. The F.O.C.O.S is made of 3 parts. One is the black anodized 7075 T6 aluminum alloy outsert or Stainless Steel Option. Two is a Stainless steel Retention post In The Aluminum Outsert Model and Aluminium in the Stainless Steel Outsert Model that also acts as a footer inside the shaft. The third part is the 3/32 allen head retention screw that allows for the Outserts to either be screwed or screwed and glued.



[.165 pictured]

**FRONT OF CENTER OUTSERT SYSTEM**  
**STAINLESS STEEL OUTSERTS** 100 Grains  
**ALUMINIUM OUTSERTS** 80 Grains



**FRONT OF CENTER REPLACEMENTS**  
**STAINLESS STEEL** 84 Grains  
**ALUMINIUM** 43 Grains



**F.O.C.O.S BRASS WEIGHTS**  
10/20/30 Grains



**WEIGHT ADJUSTMENT TOOL**  
**F.O.C.O.S WEIGHTS**



## POINTS

**23/64 - 26/64"**



**11/32 FIELD POINTS**  
75/100/125 Grains



**11/32 BULLET POINTS**  
100/125 Grains

**15/64 - 19/64"**



**5/16 FIELD POINTS**  
100/125 Grains



**5/16 BULLET POINTS**  
100/125 Grains

**27/64"**



**STAINLESS NOCK CRUSHERS**  
150/200/300 Grains



**STAINLESS GLUE-IN POINTS**  
100/150 Grains



**SCREW-IN INSERT/POINT WEIGHTS**  
5/10/30/50/100 Grains, Stackable

**26/64"**



**STAINLESS NOCK CRUSHERS**  
100/150/200 Grains



**STAINLESS GLUE-IN POINTS**  
80/100/120 Grains

**23/64"**



**STAINLESS NOCK CRUSHERS**  
100/150/200 Grains



**STAINLESS GLUE-IN POINTS**  
80/100/120 Grains



**SCREW-IN ADJUSTABLE POINTS**  
80/100/120 Grains

**19/64"**



**STAINLESS BREAK AWAY POINTS**  
100/120 Gr. | 10 Gr. Weight Breaks



**SCREW-IN ADJUSTABLE POINTS**  
50/70 Gr. | 5/10 Gr. Weight Adjustable

**INTREPID POINT**



**70-90 GRAIN TARGET POINT**  
70/90 Gr.

**18/64"**



**STAINLESS BREAK AWAY POINTS**  
140 Gr. | 10 Gr. Weight Adjustable

**17/64"**



**STAINLESS BREAK AWAY POINTS**  
120/140 Gr. | 10 Gr. Weight Adjustable

**15/64" DEEP IMPACT**



**STAINLESS STEEL GLUE-IN BREAK AWAY POINTS**  
140 Gr. | 20 Gr. Weight Breaks



**STAINLESS STEEL GLUE-IN BREAK AWAY POINTS**  
120 Gr. | 20 Gr. Weight Breaks

**15/64" X-IMPACT**



**STAINLESS STEEL GLUE-IN BREAK AWAY POINTS**  
140/120/90 Gr. | 10 Gr. Weight Breaks

## PIN BUSHINGS

**27/64"**



**ALUMINIUM PIN BUSHING**  
22 Grains

**19/64"**



**ALUMINIUM PIN BUSHING**  
14 Grains

**26/64"**



**ALUMINIUM PIN BUSHING**  
19 Grains

**17/64"**



**ALUMINIUM PIN BUSHING**  
19 Grains

**23/64"**



**ALUMINIUM PIN BUSHING**  
16 Grains

**15/64"**



**ALUMINIUM PIN BUSHING**  
12 Grains

**13/64"**



**REVELATION PIN BUSHING**  
Patent #D888,866  
7 Grains

## IN TIME CAM TIMING

Designed by World Champion Dan McCarthy

The In-Time system was developed to help achieve perfect cam synchronization in compound bows and crossbows. This In-Time kit is filled with a series of 4 different sized cable spacers, that can be installed in the cables singularly or in combination, allowing micro adjustments to any Cable's length rotating the bow's cam by as little as a .010" adjustment—this is comparable to being able to make 1/8" twist increments in any bow's cable that they're installed in. With the In-Time system you'll now be able to achieve cam timing synchronization with absolute ease— Experience better bow performance, easier tuning, and increased accuracy by using the In-Time Can timing kit today.



(Each kit includes 2 of each sized spacer)

2qty Small, 2qty Medium, 2qty Large, 2qty Xtra-Large

Protected under US Patent #10,883,792 B1. A bow press is required for Installation.

## BRANDED GEAR



BETSY MILITARY GREEN NEXT LEVEL



BRANDED NEW TEAM JERSEY



BEA BRANDED NEXT LEVEL



LEGACY TEE



BEA ARROW TUBE



BRANDED QUIVER



RED MULEY NEXT LEVEL



BRANDED HOODED SWEAT SHIRT



NEXT LEVEL HUNTING T-SHIRT



NEXT LEVEL LONG SLEEVE HOODIE



OG TEAM JERSEY

# ALL NEW SEQUEL 33

## THE CORNERSTONE OF TRANSFORMATION

The ALL-new Sequel 33 was designed from the ground up. The only thing that remained the same is NOTHING! Words are hard to come by for the smoothness, comfort, and performance of the Sequel 33! With an all new FORGED 7075 T6 Riser this thing is STOUT! The redesigned riser brings a look to Darton NEVER seen before and is sure to silence the harshest critics! Our new Cam we call the BBS Cam was designed for smoothness, Comfort and Speed and that is EXACTLY what it delivers. This will be the smoothest drawing bow you have never heard because it is whisper quiet! Our ALL new .870 limbs and limb pockets add stability, speed, and an incredible feel!



SPECIFICATIONS:	FEATURES:
<b>ACTUAL SPEED: 335-334 FPS</b>	<b>ALL NEW RISER DESIGN</b>
AXLE-TO-AXLE: 33 1/16"	7075 T-6511 Pre-Stressed Forged
BRACE HEIGHT: 6.30"	7075 BBS Dual Sync Cams
MASS WEIGHT: 4.65 LBS. (Without LVS Installed included with bow)	1/4" Axles
DRAW LENGTHS: 25.5"-31"	5/8" Bearings
DRAW WEIGHTS: 50, 60, 70	.870 Limbs and Limb Pockets (Add Stability)
LET-OFF: 87-80% Adjustable with draw stop posts.	QAD Integrated rest Mount
BCY 452X NATURAL BOWSTRING MATERIAL	The Darton Grip Angle
<b>MADE IN THE USA</b>	Roller Guard
	New Yoke System
	Rotating MOD

**RISER COLORS:**

- Black
- Gray
- Desert Tan
- OD Green
- Flat Dark Earth
- Ursi Emerge 2.0 Camo
- ▲ Kings XK7

**LIMB COLORS:**


- Black
- Ursi Emerge 2.0 Camo
- ▲ Kings XK7



# ALL NEW SEQUEL 31

## THE CORNERSTONE OF TRANSFORMATION

The ALL-new Sequel 31 was designed from the ground up. The only thing that remained the same is NOTHING! Words are hard to come by for the smoothness, comfort, and performance of the Sequel 31! With an all new FORGED 7075 T6 Riser this thing is STOUT! The redesigned riser brings a look to Darton NEVER seen before and is sure to silence the harshest critics.! Our new Cam we call the BBS Cam was designed for smoothness, Comfort and Speed and that is EXACTLY what it delivers. This will be the smoothest drawing bow you have never heard because it is whisper quiet! Our ALL new .870 limbs and limb pockets add stability, speed and an incredible feel!



SPECIFICATIONS:	FEATURES:
<b>SPEED: ACTUAL 335-334 FPS</b>	<b>ALL NEW RISER DESIGN</b>
AXLE-TO-AXLE: 31 1/16"	7075 T-6511 Pre-Stressed Forged
BRACE HEIGHT: 6.3"	7075 BBS Dual Sync Cams
MASS WEIGHT: 4.45 LBS. (Without LVS Installed included with bow)	1/4" Axles
DRAW LENGTHS: 25"-30.5"	5/8" Bearings
DRAW WEIGHTS: 50, 60, 70	.870 Limbs and Limb Pockets (Add Stability)
LET-OFF: 85-80% Adjustable with Draw Stop Posts	THE DARTON GRIP
BCY 452X NATURAL BOWSTRING MATERIAL	QAD Integrated rest Mount
<b>MADE IN THE USA</b>	Roller Guard
	New Yoke System
	Rotating MOD

**RISER COLORS:**

- Black
- Gray
- Desert Tan
- OD Green
- Flat Dark Earth
- Ursi Emerge 2.0 Camo
- Kings XK7

**LIMB COLORS:**


- Black
- Ursi Emerge 2.0 Camo
- Kings XK7



# ALL NEW CONSEQUENCE

## WHERE FLAGSHIP QUALITY MEETS AFFORDABILITY

If you are looking for a short axle to axle, ultra-smooth, forgiving, and quiet bow to use in your blind or tree stand the Consequence is the bow for you. Powered by our latest version of our DualSync BBS cam system with an adjustable/rotational module allowing for 1/2" draw length increments. When you pick up the Consequence, you will notice right away it shares many of the attributes and features as our newest member of the Darton Family of bows: fast, quiet and a smooth draw cycle. The ultra compact 29.5" axle to axle length will make this your "go to" bow when hunting & space are mentioned in the same sentence, you won't find a bow with the performance, features offered by the Consequence at this price.



SPECIFICATIONS:	FEATURES:
<b>SPEED: 320-321 FPS</b>	<b>ALL NEW RISER DESIGN</b>
AXLE-TO-AXLE: 29.5"	<b>ALL NEW GRIP</b>
BRACE HEIGHT: 7.5"	7075 T6 Aluminum BBS Dual Sync Cams
MASS WEIGHT: 4.3 LBS.	1/4" Axles
DRAW LENGTHS: 25.5"-31"	5/8" Bearings
DRAW WEIGHTS: 50, 60, 70	.870 Limbs and Limb Pockets (Add Stability)
LET-OFF: 87-80% (Adjustable with draw stop posts)	The Darton Grip
<b>MADE IN THE USA</b>	Roller Guard
	New Yoke System
	Rotating MOD

**RISER COLORS:**

- Black
- OD Green
- Flat Dark Earth
- Ursi Emerge 2.0 Camo

**LIMB COLORS:**

- Black
- Ursi Emerge 2.0 Camo



# ALL NEW EMERGENCE

## THE HANDS DOWN WINNER CHOICE FOR THE ADVANCING ARCHER

Darton has created a new benchmark for a compact Target Bow! The Emergence is Darton's latest bow offering using its DualSync cams with the Equalizing yoke system, made specifically for the Up-and-Coming or Advancing Archer. There is NO Compromise on performance here! This will be the choice for any person wanting to shoot a lot of arrows without fatigue. The Emergence is a short draw bow to fit shooters from ages 13 to 70 with a draw weight under 50 pounds. You receive Darton's latest Technology and Performance Innovations in a compact model that ensures confidence when shooting.

SPECIFICATIONS:	FEATURES:
<b>SPEED: N/A</b>	<b>ALL NEW RISER DESIGN</b>
AXLE-TO-AXLE: 32.5"	<b>ALL NEW GRIP</b>
BRACE HEIGHT: 6 1/8"	7075 T-6511 Pre Stretched and Pre Stressed Riser!
MASS WEIGHT: 3.7 LBS.	7075 Cams
DRAW LENGTHS: 24"-29"	1/4" Axles
DRAW WEIGHTS: 35-50	5/8" Bearings
LET-OFF: 80% (Adjustable)	.790 Limbs and Limb Pockets (Add Stability)
<b>MADE IN THE USA</b>	Patented E System
	QAD Integrated Rest
	Adjustable Roller Guard
	1/4" Draw Mod Adjustments
	Resonance Cancellation Module

**RISER COLORS:**

- Black
- White
- OD Green
- Candy Blue
- Candy Purple
- Candy Red

**LIMB COLORS:**

- Black



# ALL NEW DEPARTURE

## OUR REINVENTION IS IN FULL EFFECT

Darton Archery is proud to announce that our reinvention is in full effect, and we confidently believe that we've hit the ball out of the park with our new Departure bow. Departure was born out of our transformation plan and is indeed transforming. Sporting a 37" axle-to-axle length, the Departure has a meticulously designed riser, carved from a robust 40lb Billet. This fresh design makes it stiffer, stronger, and superior to anything we've developed before. For a bow that effortlessly targets, aims, and executes flawless shots, your search ends with the Departure.

SPECIFICATIONS:	FEATURES:
SPEED: 325-326 FPS ACTUAL	<b>PROUDLY MADE IN THE USA</b>
AXLE-TO-AXLE: 37"	7075 Cams
BRACE HEIGHT: 7"	1/4" Axles
MASS WEIGHT: 4.9 LBS.	5/8" Bearings
DRAW LENGTHS: 25.5"-32" Comes with 28"-30" Mod Standard	.790 Limbs and Limb Pockets (Add Stability)
DRAW WEIGHTS: 40, 50, 60, 70	New grip angle and grip design
LET-OFF: (Adjustable) by Draw Stop Tabs Included	All new EX Cam
LET-OFF: 80%	Patented E System
	Patented Deep Grove Cam
	Patented Binary Cam
	1/4" Draw Mod Adjustments
	Easy to Remove Mods



**RISER COLORS:**

- Black
- White
- Gray
- Desert Tan
- OD Green
- Candy Blue
- Candy Purple
- Candy Red
- Candy Teal

**LIMB COLORS:**

- Black
- White







# ALL NEW EXODUS

## TARGETS, AIMS, AND SHOOTS LIKE A TARGET ARCHER'S DREAM

Exodus: A sudden departure of a large number of people. Once you experience the unparalleled precision of the Exodus, equipped with our patented E System, you'll instantly understand its distinct name. Measuring 37" axle-to-axle, a 7" brace height, and delivering a genuine speed of 325-326 FPS—without a hint of exaggerated performance claims—it stands as the embodiment of truth in engineering. The Exodus not only targets, aims, and shoots like a target archer's dream, but it also sets the standard for what a target bow truly should be.

SPECIFICATIONS:	FEATURES:
SPEED: 325-326 ACTUAL	<b>PROUDLY MADE IN THE USA</b>
AXLE-TO-AXLE: 37"	ALL New Grip Angle and Grip
BRACE HEIGHT: 7"	ALL New EX Cam
MASS WEIGHT: 4.9 LBS.	7075 Cams
DRAW LENGTHS: 25.5"-32" Comes with 28"-30" Mod Standard	1/4" Axles
DRAW WEIGHTS: 40, 50, 60, 70	5/8" Bearings
LET-OFF: (Adjustable) by Draw Stop Tabs Included	.790 Limbs and Limb Pockets (Add Stability)
LET-OFF: 80%	Patented E System
	1/4" Draw Mod Adjustments
	Patented Deep Groove Cam
	Easy to remove mods
	Easy to Remove Mods

**RISER COLORS:**

- Black
- White
- Gray
- Desert Tan
- OD Green
- Candy Blue
- Candy Purple
- Candy Red
- Candy Teal

**LIMB COLORS:**

- Black
- White





# PRELUDE E 32

## THE SMOOTHEST SHOOTING & DRAWING SPEED BOW

Prelude E 32 was designed from the ground up. Our all new Riser design adds even more strength and stability. Our new and Improved Patented Cam Technology we have made a Speed bow that feels like a Target Bow with true speeds up to 347 FPS. Still building on our Patented Equalizer Cable System technology (AKA E System) which is the closest thing you can get to a totally balanced shooting system.

With our new EASILY removable adjustable draw module with 1/4" draw length adjustments and 3 sets of draw stop tabs you will have at least 8 different holding weight options! Couple that with dual Cable Stops and an adjustable roller guard you now have COMPLETE control of your draw length and holding weight.

The split yoke system (AKA E System) that anchors on the axles, outboard of the limbs, totally equalize and stabilize the limbs and reduces the load on the cam bearings for THE Smoothest shooting, drawing Speed bow you will put your hands on!

The Prelude 32 comes with Custom Made bowstrings by Team Darton.


SPECIFICATIONS:	FEATURES:
SPEED: 342 FPS IBO	ALL NEW RISER DESIGN
SPEED: 342 ACTUAL at 30" 70lb, 350 grain arrow	ALL New Grip
AXLE-TO-AXLE: 32"	7075 T-6511 Pre Stretched and Pre Stressed Riser!
BRACE HEIGHT: 6"	7075 Cams
MASS WEIGHT: 4.9 LBS.	1/4" Axles
DRAW LENGTHS: 27"-30.5"	5/8" Bearings
DRAW WEIGHTS: 40, 50, 60, 70, 80	.790 Limbs and Limb Pockets (Add Stability)
LET-OFF: 80%	Patented E System
	QAD Integrated Rest
	Roller Guard
	1/4" Draw Mod Adjustments
	Resonance Cancellation Module

### RISER COLORS:

- Black
- Gray
- Desert Tan
- OD Green
- Flat Dark Earth
- Ursi Emerge 2.0 Camo
- Kings XK7

### LIMB COLORS:

- Black
- Ursi Emerge 2.0 Camo
- Kings XK7



**1/4" DRAW LENGTH ADJUSTMENTS ON  
PATENTED ROTATING MOD**



**100% ULTRA DURABLE POWDERCOAT LIMB  
AND RISER FINISHES**



**QAD INTEGRATED DOVETAIL REST MOUNT**



**PATENTED E SYSTEM**



**ROLLER GUARD**





# VERACITY-35

## VERY FAST, HIGHLY EFFICIENT, EXTREMELY QUIET SHOOTABLE BOW

Expanding on our patented cam platform, the Veracity 35 will come with 85% let off, 1/4" draw length adjustments on our rotating mod and a TRUE Speed of 339 FPS at 30" Draw (70lbs with a 350-grain arrow). Included you will receive 3 sets of draw stop tabs to micro tune your holding weight! 80%, 65% mods also available giving you an incredible 12 options of holding weight.

Once you shoot the NEW Veracity 35 you will instantly realize this bow is very fast, highly efficient, Extremely Quiet and points and aims like a dream. Maintaining that Darton accuracy and dependability that our customers have counted on for over 72 YEARS. Veracity "The state or quality of being true" - Shoot the Veracity 35 and you will know why we chose the name!

The Veracity 35 comes with Custom Made bowstrings by Team Darton. Through a varying tensioning process, we ensure that the string is built at its most elongated state with a consistent bundle and individual strands that all carry the same load. In doing so we guarantee you are using the full potential of every strand making them the most stable string set in archery today. Firm fully served end loops, proprietary serving tensions, individual strand exact load layup process and the finest material available makes these strings the best of the best.

SPECIFICATIONS:	FEATURES:
ATA/IBO SPEED: 339-337 FPS	All New Riser Design
ACTUAL SPEED: 339-337 FPS	7075 T-6511 Pre Stretched and Pre Stressed Riser!
ATA/IBO SPEED AT 31.5": 354-352 FPS	7075 Cams
AXLE-TO-AXLE: 35"	1/4" Axles
BRACE HEIGHT: 6"	5/8" Bearings
MASS WEIGHT: 4.8 LBS.	.790 Limbs and Limb Pockets (Add Stability)
DRAW LENGTHS: 26"-31.5"	QAD Integrated Dovetail Rest Mount
DRAW WEIGHTS: 40, 50, 60, 70, 80	Roller guard with horizontal adjustments
LET-OFF: 85%	1/4" draw length adjustments

### RISER COLORS:

- Black
- Gray
- Desert Tan
- OD Green
- Flat Dark Earth
- Ursi Emerge 2.0 Camo
- Kings XK7

### LIMB COLORS:

- Black
- Ursi Emerge 2.0 Camo
- Kings XK7



\*\*80%\*\* Mods shipped on bows being delivered to states that require 80% Let-Off or less

**1/4" DRAW LENGTH ADJUSTMENTS ON  
PATENTED ROTATING MOD**



**ROLLER GUARD**



**QAD INTEGRATED DOVETAIL REST MOUNT**



**100% ULTRA DURABLE POWDERCOAT LIMB  
AND RISER FINISHES**







## ALL NEW OUTLAW 420

The Outlaw 420 is a brilliant fusion of speed, silence, accuracy, adaptability, and undeniably, exceptional aesthetics. Crafted with an emphasis on precision, velocity, and longevity, this crossbow delivers on its promises. Delivering fifty-yard, nickel-sized groups is a breeze for the Outlaw 420, demonstrating its impressive precision.

This powerhouse shoots at a true 420+ FPS using a 400-grain arrow, delivering not just 'up to' speeds, but reliable velocity with real-life arrows. Despite its blistering speed, it remarkably maintains a quiet operation—a feat not easily achieved.

Designed with an AR platform stock, a Picatinny rail grip, and an incredibly robust Picatinny rail for the scope, it is engineered for optimal performance. This crossbow is indeed built by experts for enthusiasts who demand the best. A silent crank is recommended for users under 6' tall, for a truly superior archery experience.

ALL PICTURES ARE WITH the Black Eagle 50MM Scope



### FEATURES:

Hi-Energy Reverse Draw Cams	Sling Studs Included
Machined Aluminum Barrel Design	3.8 Pound Trigger Pull
AR Butt Stock	Paanted Barrel Dampener
AR Foregrip	Includes Rope Coker
Sims Limb Saver Technology	Includes Darton Silent Crank
Foot Plate For Cocking is Patent Pending	

### SPECIFICATIONS:

Speed (400 GR.): 420+ FPS	Axle -to Axle at full draw: 9-3/4"
Power Stroke: 15.5"	O.A.L. w/Stirrup: 33.5"
Peak Draw Weight: 205lbs	Bowstring: 34-1/8"
Mass Weight: 9LBS	Power Cables: 19-5/8"
Axle - to Axle at Brace: 13-1/8"	



### RELATED PRODUCTS

2.5 X 10 X 50 ILLUMINATED CROSSBOW SCOPE



1.5 X 5 X 32 ILLUMINATED CROSSBOW SCOPE



## ALL NEW RENEGADE 370

The Renegade 370 perfectly exemplifies what a compact crossbow should be in terms of performance and handling. This model is meticulously crafted with an emphasis on precision, comfort, and durability. Delivering fifty-yard, nickel-sized groups is child's play for the Renegade 370, showcasing its extraordinary accuracy.

True to its name, this crossbow shoots at a legitimate 370+ FPS using a 400-grain arrow. Here, we don't promise 'up to' speeds but deliver authentic velocity with real-life arrows. And one of its most notable features: it's incredibly quiet. Our exhaustive testing shows that the Renegade 370 is one of the quietest crossbows on the market.

Equipped with an AR platform stock, a Picatinny rail grip, and an exceptionally robust Picatinny rail for the scope, this model is designed for ultimate reliability. The Renegade 370, built by experts for enthusiasts, truly stands out. For most users, an aluminum sled for easy cocking is included, eliminating the need for a silent crank.



**FEATURES:**

Hi-energy reverse draw cams	Foot plate for cocking is patented pending
Machined aluminum barrel design	Sling studs included
Patented anti dry fire design	3.5 Pound trigger pull
AR butt stock	Patented barrel dampener
AR foregrip	
Sims Limb Saver®Technology	

**SPECIFICATIONS:**

Speed (400 GR.): 370+ FPS	Axle -to Axle at full draw: 10 1/2"
Power Stroke: 12.5"	O.A.L. w/Stirrup: 30.5"
Peak Draw Weight: 195lbs	Bowstring: 33-1/8"
Mass Weight: 8.9LBS	Power Cables: 19-5/8"
Axle - to Axle at Brace: 13-1/4"	



### RELATED PRODUCTS

#### BEA 2.5 X 10 X 50 ILLUMINATED CROSSBOW SCOPE



The 2.5X10X50 Crossbow Scope by Black Eagle offers a magnification range of 2.5X to 10X with a 50mm lens, ensuring unmatched accuracy, optimal visibility, and durability for enthusiasts seeking superior performance in all conditions.

#### BEA 1.5 X 5 X 32 ILLUMINATED CROSSBOW SCOPE



The BEA 1.5 X 5 X 32 Illuminated Crossbow Scope by Black Eagle offers 1.5X to 5X magnification, a 32mm lens, an illuminated reticle for precision in low-light, and durable construction, ensuring bow enthusiasts achieve unparalleled performance and accuracy.

### ALL NEW 2 PIECED UP QUIVER

Our versatile, 5-arrow quiver features machined aluminum and carbon rod construction, one-hand adjustability, double grippers for zero arrow movement, and is compatible with both right and left-hand bows from multiple manufacturers: Darton, Elite, Athens, Bear, Expedition, and Obsession.

Available at [CONQUESTARCHERY.com](http://CONQUESTARCHERY.com)



### ALL NEW DARTON ULTRAREST INTEGRATE IMX



PREMIUM COTTON SPORTS/RISER TAPE



DARTON DRAW STOP TABS



CROSSBOW SIDE MOUNT QUIVER BRACKET



CROSSBOW BULLET POINTS  
100 GR. 6 PACK



### TALON QUIVER

Our Talon Quiver, designed for market-leading performance, holds 5 and 5+2 arrows with a max OD of 1 3/16", offers easy one-hand use with a patented, strong Claw Gripper, and features quiet, rubber-lined hoods; it also includes standard and micro grippers for versatility.

Available at [CONQUESTARCHERY.com](http://CONQUESTARCHERY.com)



CROSSBOW SUPPRESSION ROD  
BUMPER PAIR



TOXIN CROSSBOW CASE



DARTON BOW CASE



DARTON SHOOTER SHIRT



BRANDED HAT



DARTON NEXT LEVEL TRI BLEND VERTICAL





CONQUEST  
ARCHERY

# SMACDOWN

STABILIZERS

## TARGET STABILIZERS / SMACDOWN

### SMACDOWN .747

The Smacdown .747 is a 3/4" Carbon Stabilizer made with 100% Ultra High and Ultra High Pitch Fiber. The .747 Smacdown has an INCREDIBLE stiffness to weight ratio in a 3/4" Bar, and a unique composite dampening material called SMACWRAP®. This makes the Smacdown .747 quite possibly the BEST 3/4" Bar on the Market today. We are the first to Utilize SMAC Technology in Archery Stabilization! SMAC is the ULTIMATE in Vibration Dampening and shot Recovery. If you are Looking for an Awesome shooting that bar that encompasses the latest technology in shot dampening then the new Smacdown .747 is the bar for you.

- One of if not the Stiffest 3/4" Bar on the Market Today
- The BEST Stiffness to Weight ratio in a 3/4" Bar
- Light weight
- Best Vibration and shot Recovery.
- Little to NO hand Resonance
- Ability to add LDT of Weight!!
- A TRUE 3/4" Bar
- Fast Target Acquisition due to incredible stiffness
- 3, 1oz .850 Black Nitride Matte Finish Weights
- Matte Black Connectors made for easy removal and tightening
- Bar/Connectors Black Matte Finish



**SHARON WALLACE**  
FACTORY PRO STAFF

**FRONT BAR 33" 5.20Z | 30" 4.80Z | 27" 4.50Z | 24" 4.10Z**



**SIDE BAR 15" 30Z | 12" 2.60Z | 10" 2.40Z**






## SMACDOWN .625

The Smacdown .625 is a TRUE 5/8 Bar made with 100% Ultra High and Ultra High Pitch Fiber. Unlike many bars that call themselves 5/8" this one you can put a Micrometer on and Know that it is, what we say it is. With the BEST stiffness to weight ratio in a 5/8" Bar, and a unique composite dampening material called SMACWRAP® makes the Smacdown .625 quite possibly the BEST 5/8" Bar on the Market today. We are the first to Utilize Smac Technology in Archery Stabilization! Smac is the ULTIMATE in Vibration Dampening an shot Recovery. If you are Looking for an Awesome shooting that bar that encompasses the latest technology in shot dampening then the new Smacdown .625 is the bar for you.

- THE Stiffest 5/8 Bar on the Market
- The BEST Stiffness to Weight ratio
- Light weight
- Best Vibration and shot recovery
- Little to NO hand Resonance
- Ability to add LOT of Weight!!
- A TRUE 5/8" Bar
- Great Wind resistance
- 3, 1oz .850 Black Nitride Matte Finish Weights
- Matte Black Connectors made for easy removal and tightening
- Bar/Connectors Black Matte Finish



**CHANCE BEAUBOUF**  
FACTORY PRO STAFF

**FRONT BAR 33" 5.20Z | 30" 4.80Z | 27" 4.50Z | 24" 4.10Z**



**SIDE BAR 15" 30Z | 12" 2.60Z | 10" 2.40Z**







## SMACDOWN .500 PRO

We took our Smacdown .500 Bar and Made the MOAB!! Mother of all bars!!! The Smacdown .500 Pro has the best Stiffness to weight ratio on a TRUE 1/2 Bar on the Market today. The Smacdown .500 PRO is made with 100% ULTRA High and Ultra high Modulus Pitch Fiber. The Smacdown 500 Pro is 20% stiffer than the Smacdown 500 and is stiffer than most if not all bars on the market ranging from .500 OD to .590 OD. It is even stiffer than many competitors 5/8 bar. Unlike many bars that call themselves 1/2" this one you can put a Micrometer on and Know that it is, what we say it is. The Smacdown .500 Pro uses a unique composite dampening material called SMACWRAP®. Smac is the ULTIMATE in Vibration Dampening and shot Recovery. We are the first to utilize this technology in Archery Stabilization!! If you want the BEST 1/2 Bar on the Market today the Smacdown Pro .500 is it!

- Best Stiffness to Weight ratio 1/2 bar on the market today
- Light weight
- Best Vibration and shot Recovery.
- Little to NO hand Resonance
- Ability to add LOT of Weight!!
- Best wind resistance due to OD!
- 20% Stiffer than Smacdown 500
- Stiffer than any .500 to .590 Bar on the Market.
- Comes with 3, 1oz .850 Black Nitride Matte Finish Weights
- Black Connectors made for easy removal and tightening
- Bar is Black Matte Finish as are the Connectors

**FRONT BAR 33" 5.940Z | 30" 5.50Z | 27" 5.10Z | 24" 4.70Z**

**SIDE BAR 15" 3.450Z | 12" 3.0Z | 10" 2.720Z**



**CASEY KAUFOLD**  
FACTORY PRO STAFF

### SMACDOWN 500 PRO EXTENSIONS



SMACWRAP® composite damping is a patented product to be integrated into your composite structure to bring a determinant damping factor. Developed to avoid impairing the mechanical properties, SMACWRAP® composite damping is a thin viscoelastic rubber designed in roll form. This innovative material offers to composite structure designers the possibility to integrate thin elastomer layers within the parts lay-up. Usually placed between existing structure and covered with a suitably chosen constrained layer.



## SMACDOWN .500


We started with wanting a bar that could cut the wind while still providing stiffness and comfort at the shot. We tried many ways to achieve our desired results and Thus the Smacdown .500 was constructed. The Smacdown .500 is a TRUE 1/2 Bar made with 100% ULTRA High and Ultra High Pitch Fiber. Unlike many bars that call themselves 1/2" this one you can put a Micrometer on and Know that it is, what we say it is.

The Smacdown .500 offers an awesome stiffness to weight ratio and a unique composite dampening material called SMACWRAP®. Smac is the ULTIMATE in Vibration Dampening an shot Recovery. We are the first to utilize this technology in Archery Stabilization!! If you are look for an Awesome shooting that bar that encompasses the latest technology in shot dampening then the new Smacdown .500 is the bar for you.


- AWESOME Stiffness to Weight ratio
- Light weight
- Best Vibration and shot Recovery.
- Little to NO hand Resonance
- Ability to add LOT of Weight!!
- TRUE 1/2 O.D Bar
- Best Wind resistance due to OD!
- Comes with 3, 1oz .850 Black Nitride Matte Finish Weights
- Black Connectors made for easy removal and tightening
- Bar is Black Matte Finish as are the Connectors

**FRONT BAR 33" 60Z | 30" 5.560Z | 27" 5.10Z | 24" 4.70Z**

**SIDE BAR 15" 3.50Z | 12" 30Z | 10" 2.750Z**



**CARA KELLY**  
FACTORY PRO STAFF



**NICO WIENER**  
FACTORY PRO STAFF



# SMACDOWN

STABILIZERS



CONQUEST  
ARCHERY

HUNTING STABILIZERS / SMACDOWN

## SMACDOWN 625 HUNTING BARS

The Smacdown .625 Hunting Bars may just very well be the Quietest, Most Forgiving, Fastest recovering Hunting Stabilizers you have ever shot.

The Smacdown .625 Is Hunting Bar is Constructed with the Exact Same Carbon Layup and Smacwrap as the .625 Target Bar. Only difference is the Hunting bar is red in the Center and has a Matte Finish over the label. The Smacdown .625 Hunting Bar is a TRUE 5/8 Bar made with 100% Ultra High and Ultra High Pitch Fiber Carbon. Unlike many bars that call themselves 5/8" this one you can put a Micrometer on and Know that it is, what we say it is.

With an awesome stiffness to weight ratio, and we are the first to Utilize what the Aero, Space Industry and many other have been using, a unique composite dampening material called SMACWRAP®. Smac is the ULTIMATE in Vibration Dampening an shot Recovery. We are the first to use Smacwrap Technology in Stabilization!

If you are Looking for an Awesome shooting that bar that encompasses the latest technology in shot dampening then the new Smacdown .625 is the bar for you.

### LENGTHS (FRONT/SIDE BARS) -

15-12" | 12-10" | 10-8" | 6-8"

### COMPLETE SETS INCLUDE:

Front weight: 3oz. .850 OD Black Nitride Weight  
Rear weight: 3oz. .850 OD Black Nitride Weight  
Includes MOAB Front offset Bracket



# CONTROL FREAK

STABILIZERS



CONQUEST  
ARCHERY

HUNTING STABILIZERS / SMACDOWN

## CONTROL FREAK .500 W/SMAC HUNTING BARS

The Control freak .500 W/Smac was designed for those wanting that wind cutting, light weight hunting stabilizer. Built to be super tough and priced with awesome value! Just to make it even better we added SMAC!

The Complete Hunting Bar Set-Up includes the special side-bar locking quick disconnect that has a built-in key that locks into the notch on the 3 1/2" offset side bar bracket. This proprietary feature keeps the side bar secure with a clockwise half-turn of the front bar. To unlock the side bar and remove it, simply turn it half a turn and lift the bracket and sidebar up and out of the lock. Then, lift the front bar up, and out of the quick disconnect... done in 3 seconds. This ultra-lite off-set side rod bracket weighs only 2.5 oz. and comes with a 60° down drop that is adjustable side-to-side for left-to-right balancing. This eliminates 2 to 3 seconds of fighting the bubble on every shot.



### LENGTHS (FRONT/SIDE BARS) -


15-12" | 12-10" | 10-8" | 6-8"

### COLORS AVAILABLE:



### COMPLETE SETS INCLUDE:

Front weight: 3oz. .850 OD Black Nitride Weight  
Rear weight: 3oz. .850 OD Black Nitride Weight  
Includes MOAB Front offset Bracket





## 750 HUNTING BARS

The Conquest Control Freak .750 Complete Hunting Bars are super light and very durable hunting bars for those that demand lightweight and flexibility while hunting

The Complete Hunting Bar Set-Up includes the special side-bar locking quick disconnect that has a built-in key that locks into the notch on the 3 ½" offset side bar bracket. This proprietary feature keeps the side bar secure with a clockwise half-turn of the front bar. To unlock the side bar and remove it, simply turn it half a turn and lift the bracket and sidebar up and out of the lock. Then, lift the front bar up, and out of the quick disconnect... done in 3 seconds. This ultra-lite offset side rod bracket weighs only 2.5 oz. and comes with a 60° down drop that is adjustable side-to-side for left-to-right balancing. This eliminates 2 to 3 seconds of fighting the bubble on every shot.



### LENGTHS (FRONT/SIDE BARS) -

15-12" | 12-10" | 10-8" | 6-8"

### COMPLETE SETS INCLUDE:

Front weight: 3oz. .850 OD Black Nitride Weight  
Rear weight: 3oz. .850 OD Black Nitride Weight  
X-Large Bow Jax and Weight Bumper  
Includes MOAB Front offset Bracket





CONQUEST  
ARCHERY

TARGET STABILIZERS / CONTROL FREAK

# CONTROL FREAK

S T A B I L I Z E R S

## FEATHERLITE .750

The Conquest Archery Control Freak .750 Featherlite Sidebars are just like ALL our Side Bars!! The EXACT Same Material, Layup, Process as our Front Bars!! You will see many that have side bars for much less than Front Bars Proportionality. HOW do they do it? Use less grade Carbon on Side bars and that is how they do it. NOT US!! They are IDENTICAL!!!! WHY? IT MATTERS!!!

The Conquest Archery Control Freak .750 Featherlite is an upgraded model from the Old Featherlite. We made it 50% stiffer than the old Model and still maintained the lightest Stabilizer on the Market. Ultra light at 2.2 oz. for 30" rod.

- Comes with 3, 1oz .850 Black Nitride Matte Finish Weights
- Available sizes 10, 12, and 15" lengths
- Black lightweight connectors
- Bar is Black Gloss Finish
- Each Bar Includes Connectors and Connecting Screw, 3 Oz of .850 Matte Black Threaded Weights

**FRONT BAR 33" 1.6OZ | 30" 2.2OZ | 27" 1.8OZ | 24" 1.6OZ**

**SIDE BAR 15" 1.2OZ | 12" 1OZ | 10" .10OZ**





## MICRO .450 PLUS

The Conquest Control Freak 450 Micro Plus is The smallest diameter stabilizer ever produced! Our Control Freak Micro 450 Plus is 100% Ultra High Mod Carbon. We have reached the pinnacle in stabilizer design with the absolute smallest diameter ever made.

This bar was designed for Olympic recurve enthusiasts and compound archers alike. The Micro .450 PLUS comes in a shiny black finish and is slightly barrel-shaped like our very popular Control Freak Pro-X Plus. It also has internal rubber dampening the entire length of the rod. This ensures the softest shot possible and will absorb most unwanted vibration. These too, have been tested by National and Vegas champions. These rods have a really thick .75" wall thickness with Ultra High Modulus Carbon for superior stiffness.

- Smallest Carbon Stabilizer Produced today!
- Light weight
- GREAT Vibration Dampening
- Best wind resistance due to OD
- Comes with 3, 1oz .850 Black Nitride Matte Finish Weights
- Matte Black Connectors made for easy removal and tightening
- Bar is Gloss Black Finish

### FRONT BAR 33" 4.50Z | 30" 4.20Z | 27" 3.90Z | 24" 3.70Z



### SIDE BAR 15" 2.90Z | 12" 2.50Z | 10" 2.40Z



## IN TIME CAM TIMING

Designed by World Champion Dan McCarthy

The In-Time system was developed to help achieve perfect cam synchronization in compound bows and crossbows. This In-Time kit is filled with a series of 4 different sized cable spacers, that can be installed in the cables singularly or in combination, allowing micro adjustments to any Cable's length rotating the bow's cam by as little as a .010" adjustment

— this is comparable to being able to make 1/8" twist increments in any bow's cable that they're installed in. With the In-Time system you'll now be able to achieve cam timing synchronization with absolute ease—Experience better bow performance, easier tuning, and increased accuracy by using the In-Time Can timing kit today.



(Each kit includes 2 of each sized spacer allowing a great range of adjustment)

2qty Small, 2qty Medium, 2qty Large, 2qty Xtra-Large

Protected under US Patent #10,883,792 B1 - A bow press is required for Installation.



CONQUEST MOAB OFFSET BRACKET V-LOCK FRONT & REAR (LEFT & RIGHT HANDED)



MOAB V-BAR BRACKET V-LOCK



.850 LO PROFILE THREADED WEIGHTS



1.75" THREADED STABILIZER WEIGHTS (2,4,6,8 OZ)



1.2" THREADED STABILIZER WEIGHTS (1,2,4 OZ)



5-16/24 THREADED STAINLESS STEEL SET SCREW



REPLACEMENT QD PINS



.850 QUICK DISCONNECT STRAIGHT



QUICK DISCONNECT .850 10°



PREMIUM COTTON SPORTS/ RISER TAPE



BRANDED RELEASE BAG



BRANDED HAT

CONQUEST TRI-BLEND SHIELD TEE



CONQUEST TRI-BLEND VERTICAL



MENS TEAM SHOOTER JERSEY





## ALL NEW 2 PIECED UP QUIVER

Our versatile, 5-arrow quiver features machined aluminum and carbon rod construction, one-hand adjustability, double grippers for zero arrow movement, and is compatible with both right and left-hand bows from multiple manufacturers: Darton, Elite, Athens, Bear, Expedition, and Obsession.



## TALON QUIVER

Our Talon Quiver, designed for market-leading performance, holds 5 and 5+2 arrows with a max OD of 1 3/16", offers easy one-hand use with a patented, strong Claw Gripper, and features quiet, rubber-lined hoods; it also includes standard and micro grippers for versatility.



# ARROW SELECTION GUIDE

**THESE ARE GENERAL GUIDELINES. PLEASE SEE YOUR LOCAL BLACK EAGLE ARROWS DEALER FOR PROPER ARROW FITTING, OR CONTACT US DIRECTLY FOR ASSISTANCE.** This chart is based on a 100 grain point. If you use a 125 grain point, you may need to use a stiffer spine. If you use a 85 grain point, you may need to use a weaker spine.

In order to properly select the right arrows for your specific bow, you need to consider draw weight and arrow length. As draw weight increases, so should arrow rigidity (spine). Also, we strongly recommend that you use an arrow with at least 5 grains of weight per pound of draw weight (if you are shooting a 60 lb. bow, use an arrow of no less than 300 grains). This includes your field point or broadhead.

For practical purposes, we use arrow length above draw length. Since the recent trends have been toward drop-away style arrow rests which are mounted to the rear of the riser, arrow length and draw length are no longer evenly proportional. Given a specific arrow spine, an arrow that is shorter will be more rigid than a shaft of the same spine that is longer. For example, if you have a 60 lb. bow with a 24" arrow, you would need a more flexible shaft than a 60 lb. bow with a 30" arrow.

## COMPOUND SIZING CHART

COMPOUND BOW														
DRAW WEIGHT (POUNDS)	TOTAL WEIGHT UP FRONT (GRAINS)				ARROW LENGTH (INCHES)									
	INSERT or OUTSERT • POINT • WEIGHTS =				CORRECT ARROW LENGTH= MEASUREMENT FROM THROAT OF NOCK TO END OF POINT									
	100-125	150*	200*	250*	24"	25"	26"	27"	28"	29"	30"	31"	32"	33"
15-20					1000	1000	900	800	800	700	600	600	500	500
21-25	15-20				1000	900	800	800	700	600	600	500	500	400
26-30	21-25	15-20			900	800	800	700	600	600	500	500	400	400
31-35	26-30	21-25	15-20		800	800	700	600	600	500	500	400	400	400
36-40	31-35	26-30	21-25		800	700	600	600	500	500	400	400	400	350
41-45	36-40	31-35	26-30		700	600	600	500	500	400	400	400	350	350
46-50	41-45	36-40	31-35		600	600	500	500	400	400	400	350	350	300
51-55	46-50	41-45	36-40		600	500	500	400	400	400	350	350	300	300
56-60	51-55	46-50	41-45		500	500	400	400	400	350	350	300	300	300
61-65	56-60	51-55	46-50		500	400	400	350	350	350	300	300	300	250
66-70	61-65	56-60	51-55		400	400	350	350	350	300	300	250	250	200
71-75	66-70	61-65	56-60		400	350	350	300	300	250	250	200	200	150
76-80	71-75	66-70	61-65		350	350	300	250	250	200	200	200	150	150
81-85	76-80	71-75	66-70		350	300	250	200	200	200	200	150	150	150
86-90	81-85	76-80	71-75		300	250	200	200	200	150	150	150	150	150
	86-90	81-85	76-80		250	200	200	200	150	150	150	150	150	150
		86-90	81-85		200	200	200	150	150	150	150	150	150	150
			86-90		200	200	150	150	150	150	150	150	150	150

**NOTE: THIS CHART IS JUST A GENERAL RECOMMENDATION, WHAT MAY WORK OUT OF YOUR BOW THE BEST WILL ALWAYS BE SPECIFIC TO YOUR SETUP. IF YOUR SETUP IS OUT OF THE COMPASS OF THIS CHART OR YOU ARE UNSURE WE RECOMMEND TO SEE YOUR LOCAL DEALER OR CONTACT US. 678-208-3429**





## **TO PERFORM AN ARROW INSPECTION:**

### **BE SURE TO USE EYE PROTECTION DURING THIS PROCESS -**

It is critical to carefully inspect each shaft, for any damage to the carbon, before each shot. If there are any irregularities in the carbon, it may cause bodily injury, and may also affect performance. Any hard surface may cause damage to the carbon, including lost points buried in targets.

If you suspect an arrow has been damaged in any way, immediately discard that shaft. Do not shoot a damaged arrow - it can cause injury to you and those around you.

Grasp the arrow shaft at each end (the closer to the each end the better) and bend the shaft creating no more than a 1-2" arch. When bending the shaft listen for any cracking while monitoring for any cracks or nicks. Rotate the shaft slightly and repeat this process until you have completed this for the entire arrow. Twist the shaft and listen for any cracking while monitoring for any cracks or nicks.

Review the whole shaft for any imperfections, paying careful attention to include the nock itself. Everyone loves to shoot groups and the nock being intact and free from any cracks or damage is critical to arrow safety.

If you suspect an arrow has been damaged in any way immediately discard this shaft. Do not shoot a damaged arrow or it will cause injury to you and those around you.

## **AWARENESS OF YOUR SURROUNDINGS:**

Always be aware of what resides behind your target. Never shoot an arrow without a safe shooting lane.

Never shoot your bow without getting your bow inspected, including getting your arrow shafts measured by an experienced professional. Failure to cut your arrow shafts to the proper length will result in overdraw which may cause severe injury or death. Always adjust your arrow rest to accommodate the diameter of your arrow shafts - not doing so may cause severe injury or death.

Zombie Slayers are not toys. These are real arrows and crossbow bolts intended only for real zombies, walkers, living dead, etc. Not for use on living humans.

## **ULTRA-LIGHTWEIGHT SHAFTS:**

This 30-50 lb ultra-lightweight shaft was designed to be shot from bows with a draw weight between 30-50 lb. Do not exceed 50 lb draw weight limit, or it may damage the shaft and cause serious injury to you or others around you. Always inspect complete arrow, flex and twist shaft before each shot. Do not shoot damaged shafts.

## **SHAFT CUTTING WARNING:**

Only use a arrow shaft cutter designed to cut carbon shafts. Carbon shaft saws are designed to cut at a specific RPM that will not damage the shaft. Using a shaft cutter not designed for carbon will destroy a carbon arrow shaft.

Never aim your bow toward any person, animal, or property as it can cause serious injury, damage, or death. Always be sure to be aware of your surroundings as arrows can deflect off a hard surface and cause unintended injury or death.

Black Eagle Arrows  
Darton Archery  
Conquest Archery

We share your passion for archery – there has never been a better  
time to tell us about it.



[CONQUESTARCHERY.COM](http://CONQUESTARCHERY.COM)

[DARTONARCHERY.COM](http://DARTONARCHERY.COM)

[BLACKEAGLEARROWS.COM](http://BLACKEAGLEARROWS.COM)